

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1196	(378/121,124,137,143).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/04 17:12
S2	12	("2677069" "3383510" "3567928" "3919548" "3920999" "4048496" "4903287" "5157704" "5729583" "5940469").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/23 11:25
S3	2597	x-ray and (hollow or cylindri\$4 or tube) near (target or anode)	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/23 11:26
S4	5439	("313"/\$.ccls. or "378"/\$.ccls.) and (hollow or cylindri\$4 or tube) near (target or anode)	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/23 11:27
S5	5439	("313"/\$.ccls. or "378"/\$.ccls.) and ((hollow or cylindri\$4 or tube) near (target or anode))	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/23 11:28
S6	1865	("313"/\$.ccls. or "378"/\$.ccls.) and ((hollow or cylindri\$4) near (target or anode))	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/23 11:29
S7	1837	("313"/\$.ccls. or "378"/\$.ccls.) and ((hollow or cylindri\$4 or tube) near (target or anode)) and x-ray	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/23 11:31
S8	1648	("378"/\$.ccls.) and ((hollow or cylindri\$4 or tube) near (target or anode))	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/23 12:16
S9	80	(378/142).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/23 12:53
S10	1262	(378/121,124,137,143,142).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/23 12:19
S11	18	S10 and ((shield\$4 or absor\$9) near layer)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/23 12:20
S12	0	378/119-145	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/23 12:53
S13	3883	(378/119-145).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/23 12:54

S14	5	S13 and (thickness same (atomic near layers))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/23 13:18
S15	115	(378/122).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/23 13:34
S16	138	(378/124).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/23 13:34
S17	0	"250"/\$.ccls. and (thining near process)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/03 14:41
S18	68	"250"/\$.ccls. and (thinning near process)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/03 14:43
S19	11	"378"/\$.ccls. and (thinning near process)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/03 14:46
S20	12	"378"/\$.ccls. and (thinning near process\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/03 14:46
S21	128	"250"/\$.ccls. and (thinning near6 process\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/03 14:47
S22	3553	(378/119-144).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/04 17:09
S23	490	S22 and hollow	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/04 17:09
S24	196	S22 and (hollow with anode)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/04 17:09
S25	1224	(378/121,124,137,143).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/04 17:36

S26	3	S25 and atomic near layer	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/04 17:38
S27	8	S22 and atomic near layer	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/04 17:38
S28	8	S22 and (atomic near layer)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/04 17:40
S29	0	S22 and (thicknes with target with layer)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/04 17:40
S30	65	S22 and (thickness with target with layer)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/04 17:46
S31	32	S22 and (thickness with lead)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/04 17:46
S32	99	S22 and (thickness with tungsten)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/04 17:47